

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Pioneer Gi-Bred International, Inc.

Tothereas, there has been presented to the

Secretary of Agriculture

an application requesting a certificate of protection for an alleged novel variety of sexually reproduced plant, the name and description of which are contained in the application and exhibits, a copy of which is hereunto annexed and made a part hereof, and the various requirements of LAW in such cases made and provided have been complied with, and the title thereto is, from the records of the Plant Variety Protection Office, in the applicant(s) indicated in the said copy, and WHEREAS, upon due examination made, the said applicant(s) is (are) adjudged to be entitled to a certificate of plant variety protection under the LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different ety therefrom, to the extent provided by the Plant Variety Protection Act 1542, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

193511

In Esstimony Withercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this 30th day of September in the year of our Lord one thousand nine undred and ninety-towr.

Attest

Kexneth H Evans

Plant Variety Protection Office Agricultural Marketing Service

plary of Agriculture

Sublic reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, DIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

U.S. DEPARTMENT OF AGRIC AGRICULTURAL MARKETING	Application is required in order to									
APPLICATION FOR PLANT VARIETY I	determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).									
NAME OF APPLICANT(S) (as it is to appear on the Certificate)	3. VARIETY NAME									
Pioneer Hi-Bred International,	EXPERIMENTAL NO.	9351								
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)		5. PHONE (include area code)	FOR OFFICIAL USE ONLY							
700 0		<u>.</u> .	PVPO NUMBER							
700 Capital Square		E15 270 2/1/	0000100							
400 Locust Street		515-270-3414	9200192							
Des Moines, IA 50309			F Date							
			May 15, 1992							
	FAMILY NAME (Botanie		Time							
Glycine max	Legumino	sae	G A.M. LIP.M.							
8. CROP KIND NAME (Common Name)	l q	DATE OF DETERMINATION	F Filing and Examination Fee:							
Soybean	l	eptember 1986	E 12/50, -							
	1	-	S Date							
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZAT	FION (Corporation, part	nership, association, etc.)	R May 14 1992							
Corporation			C Certificate Fee:							
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	12.04	TE OF INCORPORATION	[: 250.00							
	12. 04		V Date /							
Iowa		1926	5 Sept. 23, 1994							
James E. Miller, Ph.D. Mike Roth (copy) 7301 NW 62nd Ave., P.O. Box 85 Johnston, IA 50131-0085 Mike Roth (copy) 700 Capital Square, 400 Locust Street Des Moines, IA 50309										
Johnston, In Joist 0005	Des ,		`							
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow IN	STRUCTIONS on source	PHONE (Include area cod	lθ):							
 a.			-92							
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY			section 83/a) of the Plant Variety							
Protection Act.) YES (If "YES." answer items 16 and 17 below)	(20)	O," skip to item 18-below)	S Social Columbia (1997)							
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?		FIEM 16, WHICH CLASSES OF PRODU	CTION BEYOND BREEDER SEED?							
		.:								
∐ YES	FOU	NDATION REGIST	ERED CERTIFIED							
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY	(IN THE U.S.?									
YES (II "YES," Ithrough Plant Variety Protection Act Patent Act. Give date:										
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARKE	TED IN THE U.S. OR C	THER COUNTRIES?	en e							
YES (II "YES," give names of countries and dates) X NO	di Sejarah di Sela di Se	wa Naron Noakagratum na 1945 1955 noak wasansa bila mag 1955 noaka wasansa bila mag	alien no president de							
20. The applicant(s) declare(s) that a viable sample of basic seeds or request in accordance with such regulations as may be applicable.	le.									
The undersigned applicant(s) is (are) the owner(s) of this sexu uniform, and stable as required in section 41, and is entitled to p	protection under th	e provisions of section 42 of the F	(s) that the variety is distinct, Plant Variety Protection Act.							
Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.										
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY OR T		DATE							
James & Miller		or, Worldwide	5-8-92							
1		n Research	5-072							
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR T	ITLE	DATE							
		,								

FORM CSSD-470 (5-89) Edition of FORM LS-470, 3-86, is obsolete

9351 Soybean (March, 1992)

Exhibit A: Variety 9351 evolved from a cross of Williams 82 x A1937. It is an F5 derived variety which was advanced to the F5 generation by modified single-seed descent. The F6 progeny row of 9351 was grown in Ohio during the summer of 1986. Subsequently, 9351 has undergone five years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants.

Six acres of 9351 (breeders seed) were grown in Ohio in 1990. One hundred and fifty (150) acres of parent seedstock (foundation seed stock) were grown in 1991.

Exhibit B: Variety 9351 is most similar to the variety "Resnik" and variety "9341". However variety 9351 is resistant to races 1-5 of Phytophthora megasperma var. sojae while variety 9341 is susceptible. Variety 9351 has purple flowers while variety 9341 has white flowers.

Variety 9351 is significantly later in maturity than Resnik (Table 1). Variety 9351 has low peroxidase activity while Resnik has high peroxidase activity.

(Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max 1.)

301BE	AN (Glycine max L.)
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION VARIETY NAME
Pioneer Hi-Bred International, Inc.	9351
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Co.	
700 Capital Square 400 Locust Street	PVPO NUMBER
Des Moines, IA 50309	9200192
Choose the appropriate response which characterizes the va	ariety in the features described below. When the number of significant digits
in your answer is fewer than the number of boxes provided	l, place a zero in the first box when number is 9 or less (e.g., 0 9).
Starred characters * are considered fundamental to an adec	quate soybean variety description. Other characters should be described
when information is available. 1. SEED SHAPE:	
1. SEED SHAPE:	
2 L W	T T
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	l I I
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) 4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	
[4]	
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	
C. OLLO GOAT ESCIENT, (Matthe Halla Shened Geod)	
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebs	soy'; 'Gasoy 17')
4. SEED SIZE: (Mature Seed)	
- A	
1 8 Grams per 100 seeds	
5. HILUM COLOR: (Mature Seed)	·
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Black 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)	
1 1 = Yellow 2 = Green	
7. SEED PROTEIN PEROXIDASE ACTIVITY:	
1 1 = Low 2 = High	
1 = Low 2 = High	
8. SEED PROTEIN ELECTROPHORETIC BAND:	
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)	
9. HYPOCOTYL COLOR:	
3 1 = Green only ('Evans'; 'Davis') 2 = Green wit	th bronze band below cotyledons ('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')	
4 = Dark Purple extending to unifoliate leaves ('Hodgson';	
10. LEAFLET SHAPE:	
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)

2.7				
1	1. LEAFL	LET SIZE:		9200192
	3	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')		, , , , , , ,
1	2. LEAF	COLOR:		
	3	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxto') 3 = Dark Green ('Gnome'; 'Tracy')	on*)	
1	3. FLOWI	ER COLOR:		
	2	1 = White 2 = Purple 3 = White with purple throat		
₹ 1	4. POD C	OLOR:		
		1 = Tan 2 = Brown 3 = Black		
7 1	5. PLANT	PUBESCENCE COLOR:		
·	2	1 = Gray 2 = Brown (Tawny)		
1	6. PLANT	F TYPES:		
	2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')		
1	7. PLANT	Γ HABIT:	· · · · · · · · · · · · · · · · · · ·	·
	3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')		
11	B. MATUI	RITY GROUP:		<u> </u>
	06	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X	7 = IV	8 = V
7		SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)		
_	BACT	FERIAL DISEASES:		
×		Bacterial Pustule (Xanthomonas phaseoli var. sojensis)		
*		Bacterial Blight (Pseudomonas glycinea)		
*		Wildfire (Pseudomonas tabaci)		
	FUNGA	AL DISEASES:	•	
*		Brown Spot (Septoria glycines)		
÷		Frogeye Leaf Spot (Cercospora sojina)		
*	0	Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5	O Other	(Specify)
-	0	Target Spot (Corynespora cassiicola)		
		Downy Mildew (Peronospora trifoliorum var. manshurica)		
		Powdery Mildew (Microsphaera diffusa)	·	
*		Brown Stem Rot (Cephalosporium gregatum)		
•	0	Stem Canker (Diaporthe phaseolorum var. caulivora)	· .	L

[*] 19.	DISEA	SE REACTION	: (Enter 0 = Not T	ested; 1 = Suscept	ible; 2 = 1	Resistant) (C	ontinued)			9.2	00192		
	FUN	GAL DISEASE	S: (Continued)							7 2	.00172		
*	1	Pod and Stem Blight (Diaporthe phaseolorum var; sojae)											
	0	Purple Seed Stain (Cercospora kikuchii)											
	1	Rhizoctonia Root Rot (Rhizoctonia solani)											
		Phytophthora	Rot (Phytophthor	a megasperma var.	. soiael								
*	2	Race 1	2 Race 2	2 Race 3	2	Race 4	2 Race	5 0	Race 6	2	Race 7		
	2	Race 8	O Race 9	2 Other (Sp	ecify)	Races 1	10,13,17	7	-				
	VIRA	L DISEASES:											
	1	Bud Blight (T	obacco Ringspot Vi	rus)					•				
	1	Yellow Mosaid	: (Bean Yellow Mos	aic Virus)			·						
*	1	Cowpea Mosai	ic (Cowpea Chlorot	ic Virus)					:				
	$\boxed{1}$	Pod Mottle (B	ean Pod Mottle Vir	us)						• • • • • • • • • • • • • • • • • • • •			
\star		Seed Mottle (S	Soybean Mosaic Vir	us)	**				* .	*			
	NEM	ATODE DISEA	SES:				•						
		Soybean Cyst	Nematode (Heterod	dera glycines)									
*	1	Race 1	1 Race 2	1 Race 3	. 1	Race 4	Other	(Specify) _					
	0	Lance Nemato	ode (<i>Hopiolaimus C</i>	olombus)	·						-		
*	0	Southern Roo	t Knot Nematode (Meloidogyne inco	gnita)								
*	0	Northern Roo	t Knot Nematode (Meloidogyne Hapi	'a)					t. Transfer	·		
:	0	Peanut Root K	(not Nematode (Me	loidogyne arenari	a)	•							
		Reniform Nen	natode (<i>Rotylenchu</i>	lus reniformis)									
-	2	OTHER DISE.	ASE NOT ON FOR	M (Specify):	(SDS) Sudde	n Death	Syndi	ome	•			
	<u> </u>			•		· · · · · · · · · · · · · · · · · · ·	····· - ···						
20. F		LOGICAL RES	SPONSES: (Enter () = Not Tested; 1	= Suscept	tible; 2 = Resi	stant)		-				
\star		Iron Chlorosis	on Calcareous Soil	•							·		
		Other (Specify	·)				 		· <u>-</u> · · ·		÷,		
21. 1	NSECT	REACTION:	Enter 0 = Not Test	ed; 1 = Susceptibl	le; 2 = Re	sistant)							
٠,	0	Mexican Bean Beetle (Epilachna varivestis)											
	0	Potato Leaf Hopper (Empoasca fabae)											
Other (Specify)													
22. 1	22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.												
CHARACTER NAME OF VARIETY						CHAF	RACTER		NAME	OF VARIE	TY		
Р	lant Sha	pe	Resr	nik		Seed Co.	at Luster		934	+1			
L	eaf Shar	pe .	9341			Seed Siz	e		930)3			
L	eaf Colo	er	Cent	ury 84		Seed Sha	ibe		927				
L	eaf Size					Seedling	Pigmentation		933	31			
							•				5		

23. GIVE DATA	9200192								
VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFL	ET SIZE	SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Öil	SEEDS	POD
9351 Submitted	123.7	2.1	89.5			43.6	22.6	18.1	
Resnick Name of Similar Variety	121.3	1.8	86.5			43.3	22.4	15.8	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

Exhibit D: In Exhibit C we have identified 9351 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle, seed mottle, and iron chlorosis. This does not mean that 9351 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 9351 to be immune to these problems. Therefore, we have chosen to be conservative and have identified the line as 'susceptible'.

A concern is that this will lead to incorrect classification of varieties based upon characteristics open to interpretation. However, we are attempting to submit forms which are as complete and accurate as possible.

Some applicants may not view the term 'resistance' as equivalent to the term 'immunity'. Similarly, some may not view 'susceptibility' as the utter failure of a variety under applicable conditions. It would be most helpful if resistant and susceptible varieties could be identified. If standards are known, then the terms 'resistant' and 'susceptible' have a consistent meaning to all applicants.

Table 2. Isozyme information for 9351

ACO2	ACO3	ACO4	<u>ACP</u>	DIA	ENP	IDH1	IDH2	MDH	MPI	PGM	PHI
2	1	1	A	А	А	2	1	В	A	1	1

9351 is a mid group III variety. If group III maturities are divided in tenths, the relative maturity for 9351 is 3.5.

Exhibit E: Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of soybean variety 9351, for which is solicits a certificate of protection.

Table 1. 9351 vs Resnik for maturity.

All observations are from plots planted using a randomized complete block design. Planted plot length was 21 feet, trimmed to 15 feet. Plot width was 4 30 inch rows, or 10 feet. Maturity was scored as the number of days from planting until 95% of the pods in the plot were mature. All data was taken in 1991.

REI		Resnik X2		(x1-x2)**2		
1	125	123	2	4	SD**2=	(168 - (52**2 / 21)) / (21*20)
2	125		3	9	SD**2=	0.09342
3	121	121	ő	ő	SD=	0.30565
4	121	119		4	t =	(52 / 21) / 0.30565
5	126	121	- 5	25	t =	8.1013 ** significant 1% level
. 6	128	124	2 5 4	16	DF=	20
7	124	121	3	9	Dr-	20
8	125	121	3 4	16	n=	21
8 9	125	121	4	16	-1-	21
10	124	122		4	ave matu	rity of 9351 = 123.7 days
11	126	123	2 3 1	9		rity of Resnik = 121.2 days
12	112	111	ĩ	1	avo macc	illey of hoomin - tarea days
13	112	111	1	$\overline{1}$		
14	125	122	3	9		
15	125	124	3 1	1		
16	125	124	1	1		
17	122	120	2	4		
18	125	120	2 5 3	25		
19	127	124	3	9		**
20	127	126	1	1		
21	127	125	2	4		
sum ave	2597 123.7	2545 121.2	52 2.476	168	·	